VOLUME 190, NUMBER 1 JANUARY 2000

Editorials

Into 2000: *The Journal of Pathology* on the web 1

Adhesion molecule expression in breast cancer: the phoenix in tumour metastasis?: M. Ilyas 3

Review Article

Molecular detection of low-level disease in patients with cancer: S. A. Burchill and P. J. Selby 6

Original Papers

Re-expression of E-cadherin, α-catenin and β-catenin, but not of γ-catenin, in metastatic tissue from breast cancer patients: I. K. Bukholm, J. M. Nesland and A.-L. Børresen-Dale 15

Fas ligand is expressed in normal breast epithelial cells and is frequently up-regulated in breast cancer: L. Müllauer, I. Mosberger, M. Grusch, M. Rudas and A. Chott 20

Cytogenetic characterization of peripheral nerve sheath tumours: a report of the CHAMP study group: F. Mertens, P. Dal Cin, I. De Wever, C. D. M. Fletcher, N. Mandahl, F. Mitelman, J. Rosai, A. Rydholm, R. Sciot, G. Tallini, H. van den Berghe, R. Vanni and H. Willén 31

Transcriptional activation of tyrosinase and TRP-1 by p53 links UV irradiation to the protective tanning response: K. Nylander, J.-C. Bourdon, S. E. Bray, N. K. Gibbs, R. Kay, I. Hart and P. A. Hall 39

Distinct B-cell clonal bands in *Helicobacter pylori* gastritis with lymphoid hyperplasia: A. Saxena, O. Moshynska, R. Kanthan, M. Bhutani, A. W. Maksymiuk and B. E. Lukie 47

Specificity of PCR-based clonality analysis of immunoglobulin heavy chain gene rearrangements for the detection of bone marrow involvement by low-grade B-cell lymphomas: R. Brinckmann, O. Kaufmann, B. Reinartz and M. Dietel 55

Expression of the imprinted tumour-suppressor gene H19 is tightly regulated during normal haematopoiesis and is reduced in haematopoietic precursors of patients with the myeloproliferative disease polycythaemia vera: C. Núñez, A. M. Bashein, C. L. Brunet, J. A. Hoyland, A. J. Freemont, A.-M. Buckle, C. Murphy, M. A. Cross, G. Lucas, V. J. Bostock and G. Brady 61

Facilitated detection of oncogene mutations from exfoliated tissue material by a PNA-mediated 'enriched PCR' protocol: M. Behn, C. Thiede, A. Neubauer, W. Pankow and M. Schuermann 69

Clonality analysis of multifocal carcinoid tumours of the small intestine by X-chromosome inactivation analysis: Z. Guo, Q. Li, E. Wilander and J. Pontén 76

Expression profile of telomerase subunits in human pleural mesothelioma: K. Dhaene, J. Wauters, B. Weyn, J.-P. Timmermans and E. van Marck 80

Mesothelial regeneration is not dependent on subserosal cells: S. E. Mutsaers, D. Whitaker and J. M. Papadimitriou 86

Immunohistochemical analysis of cell–matrix adhesion molecules and their ligands in the portal tracts of primary biliary cirrhosis: M. Yasoshima, K. Tsuneyama, K. Harada, M. Sasaki, M. E. Gershwin and Y. Nakanuma 93

Mast cell involvement in normal human skin wound healing: expression of monocyte chemoattractant protein-1 is correlated with recruitment of mast cells which synthesize interleukin-4 *in vivo*: A. Trautmann, A. Toksoy, E. Engelhardt, E.-B. Bröcker and R. Gillitzer 100

Proliferative populations in intestinal metaplasia: evidence of deregulation in Paneth and goblet cells, but not endocrine cells: W.-M. Wong, G. W. H. Stamp, G. Elia, R. Poulsom and N. A. Wright 107

VOLUME 190, NUMBER 1 JANUARY 2000

Editorials

Into 2000: *The Journal of Pathology* on the web 1

Adhesion molecule expression in breast cancer: the phoenix in tumour metastasis?: M. Ilyas 3

Review Article

Molecular detection of low-level disease in patients with cancer: S. A. Burchill and P. J. Selby 6

Original Papers

Re-expression of E-cadherin, α-catenin and β-catenin, but not of γ-catenin, in metastatic tissue from breast cancer patients: I. K. Bukholm, J. M. Nesland and A.-L. Børresen-Dale 15

Fas ligand is expressed in normal breast epithelial cells and is frequently up-regulated in breast cancer: L. Müllauer, I. Mosberger, M. Grusch, M. Rudas and A. Chott 20

Cytogenetic characterization of peripheral nerve sheath tumours: a report of the CHAMP study group: F. Mertens, P. Dal Cin, I. De Wever, C. D. M. Fletcher, N. Mandahl, F. Mitelman, J. Rosai, A. Rydholm, R. Sciot, G. Tallini, H. van den Berghe, R. Vanni and H. Willén 31

Transcriptional activation of tyrosinase and TRP-1 by p53 links UV irradiation to the protective tanning response: K. Nylander, J.-C. Bourdon, S. E. Bray, N. K. Gibbs, R. Kay, I. Hart and P. A. Hall 39

Distinct B-cell clonal bands in *Helicobacter pylori* gastritis with lymphoid hyperplasia: A. Saxena, O. Moshynska, R. Kanthan, M. Bhutani, A. W. Maksymiuk and B. E. Lukie 47

Specificity of PCR-based clonality analysis of immunoglobulin heavy chain gene rearrangements for the detection of bone marrow involvement by low-grade B-cell lymphomas: R. Brinckmann, O. Kaufmann, B. Reinartz and M. Dietel 55

Expression of the imprinted tumour-suppressor gene H19 is tightly regulated during normal haematopoiesis and is reduced in haematopoietic precursors of patients with the myeloproliferative disease polycythaemia vera: C. Núñez, A. M. Bashein, C. L. Brunet, J. A. Hoyland, A. J. Freemont, A.-M. Buckle, C. Murphy, M. A. Cross, G. Lucas, V. J. Bostock and G. Brady 61

Facilitated detection of oncogene mutations from exfoliated tissue material by a PNA-mediated 'enriched PCR' protocol: M. Behn, C. Thiede, A. Neubauer, W. Pankow and M. Schuermann 69

Clonality analysis of multifocal carcinoid tumours of the small intestine by X-chromosome inactivation analysis: Z. Guo, Q. Li, E. Wilander and J. Pontén 76

Expression profile of telomerase subunits in human pleural mesothelioma: K. Dhaene, J. Wauters, B. Weyn, J.-P. Timmermans and E. van Marck 80

Mesothelial regeneration is not dependent on subserosal cells: S. E. Mutsaers, D. Whitaker and J. M. Papadimitriou 86

Immunohistochemical analysis of cell–matrix adhesion molecules and their ligands in the portal tracts of primary biliary cirrhosis: M. Yasoshima, K. Tsuneyama, K. Harada, M. Sasaki, M. E. Gershwin and Y. Nakanuma 93

Mast cell involvement in normal human skin wound healing: expression of monocyte chemoattractant protein-1 is correlated with recruitment of mast cells which synthesize interleukin-4 *in vivo*: A. Trautmann, A. Toksoy, E. Engelhardt, E.-B. Bröcker and R. Gillitzer 100

Proliferative populations in intestinal metaplasia: evidence of deregulation in Paneth and goblet cells, but not endocrine cells: W.-M. Wong, G. W. H. Stamp, G. Elia, R. Poulsom and N. A. Wright 107

VOLUME 190, NUMBER 2 FEBRUARY 2000

Editorial

Nitric oxide, iNOS, and inflammation in cystic fibrosis: D. Downey and J. S. Elborn 115

Review Article

Inflammatory mediators in acute pancreatitis: M. Bhatia, M. Brady, S. Shokuhi, S. Christmas, J. P. Neoptolemos and J. Slavin 117

Original Papers

Neutrophils enhance expression of inducible nitric oxide synthase in human normal but not cystic fibrosis bronchial epithelial cells: Q.-H. Meng, J. M. Polak, A. J. Edgar, M. R. Chacon, T. J. Evans, D. C. Gruenert and A. E. Bishop 126

Trefoil factor family domain peptides in the human respiratory tract: E. dos Santos Silva, M. Ulrich, G. Döring, K. Botzenhart and P. Gött 133

Quantitative immunohistochemical analysis of cytokine profiles in Epstein–Barr virus-positive and -negative cases of Hodgkin's disease: D. F. Dukers, L. H. Jaspars, W. Vos, J. J. Oudejans, D. Hayes, S. Cillessen, J. M. Middledorp and C. J. L. M. Meijer 143

Differential expression of matrix metalloproteinases and their inhibitors in non-small cell lung cancer: P. Thomas, R. Khokha, F. A. Shepherd, R. Feld and M.-S. Tsao 150

Immunohistochemical expression of nm23 in primary invasive malignant melanoma is predictive of survival outcome: N. C. McDermott, C. Milburn, B. Curran, E. W. Kay, C. B. Walsh and M. B. Leader 157

Allelic changes at multiple regions of chromosome 5 are associated with progression of urinary bladder cancer: R. von Knobloch, P. Bugert, A. Jauch, T. Kälible and G. Kovacs 163

Decreased HLA-A expression in prostate cancer is associated with normal allele dosage in the majority of cases: Q.-L. Lu, P. Abel, S. Mitchell, C. Foster and E.-N. Lalani 169

Computerized quantitative pathology for the grading of dysplasia in surveillance biopsies of Barrett's oesopagus: J. W. van Sandick, J. P. A. Baak, J. J. B. van Lanschot, W. Polkowski, F. J. W ten Kate, H. Obertop and G. J. A. Offerhaus 177

Differential levels of granzyme B, regulatory cytokines, and apoptosis in Crohn's disease and ulcerative colitis at first presentation: D. Jenkins, R. Seth, J. A. Kummer, B. B. Scott, C. J. Hawkey and R. A. Robins 184

Expression and cellular localization of the urokinase-type plasminogen activator and its receptor in human hepatocellular carcinoma: L. Dubuisson, A. Monvoisin, B. S. Nielsen, B. Le Bail, P. Bioulac-Sage and J. Rosenbaum 190

The relationship between inflammatory and serosal connective tissue changes in ileal Crohn's disease: evidence for a possible causative link: N. R. Borley, N. J. Mortensen, D. P. Jewell and B. F. Warren 196

Integration and proliferation of transplanted cells in hepatic parenchyma following D-galactosamine-induced acute injury in F344 rats: S. Gupta, P. Rajvanshi, A. N. Irani, C. J. Palestro and K. K. Bhargava 203

Apoptosis in *Mycobacterium tuberculosis* infection in mice exhibiting varied immunopathology: V. E. Watson, L. L. Hill, L. B. Owen-Schaub, D. W. Davis, D. J. McConkey, C. Jagannath, R. L. Hunter, Jr and J. K. Actor .. 211

Expression of apoptosis-regulatory genes in epithelial cells in pulmonary fibrosis in mice: K. Kuwano, N. Hagimoto, T. Tanaka, M. Kawaski, R. Kunitake, H. Miyazaki, Y. Kaneko, T. Matsuba, T. Maeyama and N. Hara 221

Announcements 230

VOLUME 190, NUMBER 3 FEBRUARY 2000

Foreword 233

Preface
Vascular pathology: a pathogenetic challenge for a new millennium: C. J. Kirkpatrick, A. E. Becker and C. L. Berry 234

Review Articles
Atherosclerosis, inflammation, and infection: O. J. de Boer, A. C. van der Wal and A. E. Becker 237
Nitric oxide in the pathogenesis of vascular disease: H. Li and U. Förstermann 244
Pathophysiology of ischaemia–reperfusion injury: D. L. Carden and D. N. Granger 255
The role of apoptosis in vascular disease: M. M. Kockx and M. W. M. Knaapen 267
Molecular mechanisms that control endothelial cell contacts: D. Vestweber 281
Improving vascular grafts: the importance of mechanical and haemodynamic properties: S. E. Greenwald and C. L. Berry 292
Molecular mechanisms in intimal hyperplasia: A. C. Newby and A. B. Zaltsman 300
Interactions between cancer cells and the endothelium in metastasis: F. W. Orr, H. H. Wang, R. M. Lafrenie, S. Scherbarth and D. M. Nance 310
The clinical manipulation of angiogenesis: pathology, side-effects, surprises, and opportunities with novel human therapies: W. D. Thompson, W. W. Li and M. Maragoudakis 330
The pathophysiology of the collateral circulation (arteriogenesis): I. Buschmann and W. Schaper 338
Regulation of inflammatory vascular damage: A. B. Lentsch and P. A. Ward 343
Pathogenesis of ANCA-associated systemic vasculitis: L. Harper and C. O. S. Savage 349
Vascular protease receptors: integrating haemostasis and endothelial cell functions: K. T. Preissner, P. P. Nawroth and S. M. Kanse 360
Microcirculatory dysfunction in sepsis: a pathogenetic basis for therapy?: H.-A. Lehr, F. Bittinger and C. J. Kirkpatrick 373
Transgenic mouse models in angiogenesis and cardiovascular disease: P. Carmeliet and D. Collen 387

VOLUME 190, NUMBER 4 MARCH 2000

Editorials

Lack of molecular markers to predict malignant potential of oral precancer: S. Warnakulasuriya 407

Human DNA contamination of mortuaries: does it matter?: G. N. Rutty 410

Review Article

Molecular interactions in the Vogelstein model of colorectal carcinoma: J. W. Arends 412

Original Papers

p53 gene mutations in sequential oral epithelial dysplasias and squamous cell carcinomas: S. A. Shahnavaz, J. A. Regezi, G. Bradley, I. D. Dubé and R. C. K. Jordan 417

Ki-*ras* activation *in vitro* affects G1 and G2M cell-cycle transit times and apoptosis: R. Orecchia, E. Infusini, A. Sciutto, A. Rapallo, A. Di Vinci, S. Nigro, E. Geido and W. Giaretti 423

Macrophage infiltration is associated with VEGF and EGFR expression in breast cancer: R. D. Leek, N. C. Hunt, R. J. Landers, C. E. Lewis, J. A. Royds and A. L. Harris 430

Gastric carcinoma exhibits distinct types of cell differentiation: an immunohistochemical study of trefoil peptides (TFF1 and TFF2) and mucins (MUC1, MUC2, MUC5AC, and MUC6): J. C. Machado, A. M. M. F. Nogueira, F. Carneiro, C. A. Reis and M. Sobrinho-Simões 437

Multiple 'serrated adenocarcinomas' of the colon with a cell lineage common to metaplastic polyp and serrated adenoma. Case report of a new subtype of colonic adenocarcinoma with gastric differentiation: T. Yao, K. Nishiyama, M. Oya, T. Kouzuki, M. Kajiwara and M. Tsuneyoshi 444

Staining patterns of p53 immunohistochemistry and their biological significance in colorectal cancer: K. Kaserer, J. Schmaus, U. Bethge, B. Migschitz, S. Fasching, A. Walch, F. Herbst, B. Teleky and F. Wrba 450

Allelic loss at the D9S171 locus on chromosome 9p13 is associated with progression of papillary renal cell carcinoma: P. Schraml, D. Müller, R. Bednar, Th. Gasser, G. Sauter, M. J. Mihatsch and H. Moch 457

Endometrial precancer diagnosis by histopathology, clonal analysis, and computerized morphometry: G. L. Mutter, J. P. A. Baak, C. P. Crum, R. M. Richart, A. Ferenczy and W. C. Faquin 462

Oxytocin receptors in human adenocarcinomas of the endometrium: presence and biological significance: P. Cassoni, E. Fulcheri, M. L. Carcangiu, A. Stella, S. Deaglio and G. Bussolati 470

Glomerular prolapse as precursor of one type of segmental sclerosing lesions: A. J. Howie, M. A. S. Ferreira, A. Majumdar and G. W. Lipkin 478

Stenotic glomerulotubular necks in radiation nephropathy: E. P. Cohen, K. Regner, B. L. Fish and J. E. Moulder .. 484

Inhibition of tumour necrosis factor alpha does not prevent experimental paracetamol-induced hepatic necrosis: K. J. Simpson, N. W. Lukacs, A. H. McGregor, D. J. Harrison, R. M. Strieter and S. L. Kunkel 489

Role of spleen macrophages in the clearance of scrapie agent early in pathogenesis: V. Beringue, M. Demoy, C. I. Lasmézas, B. Gouritin, C. Weingarten, J.-P. Deslys, J.-P. Andreux, P. Couvreur and D. Dormont 495

Cultured human fibroblasts in agarose gel as a multi-functional control for immunohistochemistry. Standardization of Ki67 (MIB1) assessment in routinely processed urinary bladder carcinoma tissue: K. Wester, A.-C. Andersson, P. Ranefall, E. Bengtsson, P.-U. Malmström and C. Busch 503

Analysis of the amplification refractory mutation allele-specific polymerase chain reaction system for sensitive and specific detection of p53 mutations in DNA: E. O. Low, A. M. Jones, J. R. Gibbins and D. M. Walker 512

Letter to the Editor

Re. Review Article entitled 'The neoplastic pathogenesis of solitary and multiple osteochondromas': J. V. M. G. Bovée and P. C. W. Hogendoorn 516

Authors' Reply

D. E. Porter and A. H. R. W. Simpson 517

Book Reviews 518

Announcements 521

VOLUME 190, NUMBER 5 APRIL 2000

Editorial
Biological continuum of benign, atypical, and malignant mesenchymal neoplasms – does it exist?: T. Mentzel **523**

Review Article
Aberrant P-cadherin expression is a feature of clonal expansion in the gastrointestinal tract associated with repair and neoplasia: D. S. A. Sanders, I. Perry, R. Hardy and J. Jankowski **526**

Original Papers
Coordinated expression and amplification of the *MDM2*, *CDK4* and *HMGI-C* genes in atypical lipomatous tumours: A. P. Dei Tos, C. Doglioni, S. Piccinin, R. Sciot, A. Furlanetto, M. Boiocchi, P. D. Cin, R. Maestro, C. D. M. Fletcher and G. Tallini **531**
The location of pKi67 in the outer dense fibrillary compartment of the nucleolus points to a role in ribosome biogenesis during the cell division cycle: D. E. MacCallum and P. A. Hall **537**
Decreased expression of Ki-67 in atrophic cervical epithelium of post-menopausal women: J. Bulten, P. C. M. de Wilde, C. Schijf, J. A. W. M. van der Laak, S. Wienk, P. J. Poddighe and A. G. J. M. Hanselaar **545**
Up-regulation of pS2 expression during the development of adenocarcinomas but not squamous cell carcinomas of the uterine cervix, independently of expression of c-jun or oestrogen and progesterone receptors: M. Saegusa, M. Hashimura, A. Hara and I. Okayasu **554**
20q13 and cyclin D1 in ovarian carcinomas. Analysis by fluorescence *in situ* hybridization: J. Diebold, K. Mösinger, G. Peiro, U. Pannekamp, C. Kaltz, G. B. Baretton, W. Meier and U. Löhrs **564**
Micro-anatomy related antigen expression in melanocytic lesions: C. B. Meije, W. J. Mooi, I. C. Le Poole, G. N. P. Van Muijen and P. K. Das **572**
TGF-β isoforms are differentially expressed in increasing malignant grades of HaCaT keratinocytes, suggesting separate roles in skin carcinogenesis: L. I. Gold, T. Jussila, N. E. Fusenig and F. Stenbäck **579**
Lack of insulin-like growth factor 1 (IGF1) in the basal keratinocyte layer of diabetic skin and diabetic foot ulcers: R. Blakytny, E. B. Jude, J. M. Gibson, A. J. M. Boulton and M. W. J. Ferguson **589**
Higher numbers of autologous fibroblasts in an artificial dermal substitute improve tissue regeneration and modulate scar tissue formation: E. N. Lamme, R. T. J. Van Leeuwen, K. Brandsma, J. Van Marle and E. Middelkoop **595**
Apoptosis of malignant cells in Hodgkin's disease is related to expression of the cdk inhibitor p27KIP1: Z. Kolar, J. R. Flavell, J. Ehrmann Jr, P. Rihakova, J. Macak, D. Lowe, J. Crocker, B. Vojtesek, L. S. Young and P. G. Murray **604**
Expression of the CD30 antigen in non-lymphoid tissues and cells: H. Dürkop, H.-D. Foss, F. Eitelbach, I. Anagnostopoulos, U. Latza, S. Pileri and H. Stein **613**
Monocyte chemoattractant protein 1, interleukin 8, and chronic airways inflammation in COPD: W. I. de Boer, J. K. Sont, A. van Schadewijk, J. Stolk, J. H. van Krieken and P. S. Hiemstra **619**
Heme oxygenase isoform expression in cellular and antibody-mediated models of acute inflammation in the rat: D. Willis, A. R. Moore and D. A. Willoughby **627**
Reflection contrast microscopy (RCM): a forgotten technique?: T. J. Filler and E. T. Peuker **635**

Volume Contents ..... **i**

Key Word Index ..... **vii**

Author Index ..... **ix**